

Hand Tool Ergonomics

Hand Tool Ergonomics - Health Hazards

On this page

[What are the main health concerns in working with hand tools?](#)

[What factors of working with hand tools cause discomfort, fatigue and, eventually, work-related musculoskeletal disorders \(WMSDs\)?](#)

What are the main health concerns in working with hand tools?

Along with common injuries such as cuts, lacerations, and bruises, the frequent and prolonged use of hand tools can cause soreness, aches, pains, and fatigue, which, when ignored, can lead to chronic musculoskeletal injuries (MSIs) of various kinds. The most common examples of these [work-related musculoskeletal disorders \(WMSDs\)](#) are [tendonitis](#), [tenosynovitis](#), [bursitis](#), [epicondylitis \(tennis elbow\)](#), [carpal tunnel syndrome](#) and [de Quervain's syndrome](#).

You can find prevention tips in the documents listed above, as well as in other OSH Answers documents including:

- [Working in a Sitting Position](#)
- [Working in a Standing Position](#)
- [Cabinet Manufacturing](#)
- [Carpenter](#)

What factors of working with hand tools cause discomfort, fatigue and, eventually, work-related musculoskeletal disorders (WMSDs)?

Several work factors can affect the health and performance of hand tool users. Major ones include:

- [static load](#) on arms and upper body muscles

- [awkward working positions and body postures](#)
- [tissue compression](#)
- [vibration](#)

Static load

Static load or effort occurs when muscles are kept tense and motionless. Examples of static effort include holding the arms elevated (Figure 1a), or extended forwards or sideways (Figure 1b). (Try holding your arm straight out in front of you for a few minutes and you will see what we mean. Put any object in your outstretched hand and its weight will add to the static effort exponentially.) Bending and twisting the neck or the whole torso can also increase static load considerably. Add the exertion of force required by hand tools, and static load can increase still further (Figure 1c).



Figure 1a




Figure 1b



Figure 1c

Static effort, that is holding any strained position for a period of time, is a particularly undesirable component in any work situation. Static effort increases the pressure on both the muscles, as well as on tissues, tendons and ligaments. It also reduces blood flow which cause a localized fatigue at a much quicker rate than would be expected by performing dynamic work (involving movement). Statically loaded muscles are much more vulnerable to fatigue and subsequent injury than muscles which are performing dynamic work. Furthermore, muscles which are tired by static work take more than 10 times longer to recover from fatigue.

Awkward working positions and body postures

Hand tools are often (actually, more than often) used where the space is limited and access is difficult; see Figures 2a, 2b, 2c.




Figure 2a




Figure 2b



Figure 2c

When the hand holds and uses a tool in an awkward position it has less strength and is consequently more susceptible to soreness and eventual injury. If the arm is uncomfortable, the rest of the body is likely to be so as well, because it is natural to compensate for discomfort by trying to re-align the body by bending the back, rounding the shoulders, tilting the neck, and so on.

Awkward positions of the upper body considerably increase the effort needed to complete the task. The resulting fatigue, discomfort, and pain add further to the risk for developing injury.

Tissue compression from forceful grips

As a rule, using a hand tool requires a firm grip. The resulting compression of soft tissue in the palm and fingers may obstruct blood circulation, resulting in numbness and tingling. Blisters are also common due to friction between the palm of the hand and the handle of the tool.

Vibration

Certain heavy tools such as a chipping hammer can produce significant [vibration](#) which is responsible for hand-arm vibration syndrome (HAVS), more commonly known as white finger or [Raynaud's syndrome](#).

Fact sheet last revised: 2017-12-01

Disclaimer

Although every effort is made to ensure the accuracy, currency and completeness of the information, CCOHS does not guarantee, warrant, represent or undertake that the information provided is correct, accurate or current. CCOHS is not liable for any loss, claim, or demand arising directly or indirectly from any use or reliance upon the information.